MEMORANDUM

Department of Ecology P. O. Box 829

P. O. Box 829
OLYMPIA, WASHINGTON
98501

Publication No. 71-e07

WA-01-0050

TO: John Hodgson	DATE: November 5, 1971
FROM:James_L. Baumer	
SUBJECT: Survey on Mt. Baker Plywood Lagoon	

The survey was conducted on 10-13-71 from 0800 to 1600. Weather conditions were windy - overcast.

Sample locations were:

1. At upper 1/3 of lagoon 10' out - surface depth.


2. In overflow box between lagoon and seepage pond.

3. In upper end of seepage pond 10' out - surface depth.

4. Below wood dike on tide water side - this sample was obtained by using a "surveyer sampler" which drew a sample through a line which was anchored in the stream of effluent seeping through dike but was under water as the tide came in.







STATE OF WASHINGTON

DEPARTMENT OF ECOLOGY

Mt.

OFFICE OF TECHNICAL SERVICES

Original to LARGE.
Copies to:

Routing

ANALYTICAL REPORT SHEET

J. L. Baumer

To: _________

Baker

_ Merley McCall

The following are the analytical results from survey conducted at:

Plywood

03-02.23 Collected 10/13/71

ppm ppm ppm ppm Total.

organic

Kjelfuhl-W T- PO4 - P STATION Total Phenols LAB. NO. BOD LOD 0:15 NO. 31. 1.49 71-3338 255, .10, . 138 12.9 2 7. 1.35 34. 305. .182 159 3339 .3 1.30 275. 16.9 28. 3340 .180 Ч 4.9 .14 18. 315. 3341 .030 Ø}- Ø. 102-N ppm ppm ppm Dom ppm Ppm No - N T.S. TSNUS. Filtered Fillered TSVS. TNVS. 7.5.5. 71-3339 666. 525. 78. 22. 56. ,03 .01 2 62. 3339 633. 418. 78. 16. 80, .03 3 629. 3340 481. 18. 59. 77. .06 00. 4 141. 66. 3341 13,579, 11, 239. 207 .24 4.01

Notes:

Summarized by . Pat lee

Date - 10/28/ 7/

STATE OF WASHINGTON

7	a	T	E	R	P	0	L	L	U	Τ	Ι	0	Ν	C	0	N	T	R	0	L	C	0	M	M	T	S	S	T	\cap	N

Routing	
Original to Copies to:	_
	-

ANALYTICAL	REPORT	SHEET
	TOTAL CALL	C 443011 1

To:	
The following are the analytical results from survey conducted at:	
197. BAKER PLY WOOD OP 10/13/71	

LAB. NO. NO. MAX MIN MEAN MEANN 1 75M2 23.0 5/5 22.2 22.3 1 10.1 2.2 94 3.3 2 000 950 32.0 976 32.0 2 75M2 22.0 20.0 23.7 27.0 2 75M2 22.0 20.0 23.7 27.0 3 75M7 3/5 195 20.0 20.5 3 75M7 3/5 195 20.0 20.5 1 10.0 2.0 3.0 3.4 2 2 3.9 3.4 3 75M7 3/5 3/5 3/5 3/2 3/2 4 76M7 18.0 15.5 16.6 16.2 4 76M7 18.0 15.5 8.0 8.3 0040 3 400 mm 150 mm 2740 mm 1355000		STATION	T	<u> </u>	T			·	
COURT 950 820 976 830 3.8 .05 . 2 .75mm 22.0 20.0 20.7 21.0 . M. 10.0 9.0 1.2 95 . OLE 950 850 896 700 . S01 3 .75mm 2/5 195 20.1 20.5 . CURR 330 20 922 930 88 .MIL 4 .75mm 18.0 15.8 16.4 16.2 . M. 7.0 7.5 8.0 8.3	LAB, NO.			MRX	MIN	MENN	145011914		
COND 950 320 976 339 S.S05 RM 10.0 9.0 1.2 9.5 PM 10.0 9.0 1.2 9.5 COND 950 850 896 700 SS31 3 75MT 2/5 195 201 525 COND 930 310 922 930 SS. NIL H TEMP 18.0 15 8 16.4 16.2 PM 9.0 7.5 8.0 8.8		/	75,419	23.5	57.5	222	223		
2 75 me 220 200 20,0 20,7 210 PH 10.0 9.0 7.2 9.5 POLE 950 850 896 700 SS. 101 3 75 MF 20 8.9 20 20,0 20,5 PH 20 8.9 20 20,0 20,5 CHR 20 8.9 20 20,0 20,5 PH 20 8.9 20 20,0 20,5 PH 20 8.9 20 9.22 9.20 SS. NIL H TEMP 18.0 15.5 16.6 16.0 PH 3.0 7.5 8.0 8.8	-		cH	10.1	2.2		9.3		
3.8 .05 20 20 20 20 20 20 20 20 20 20 20 20 20	-		CONS	950	820	9/3	8,95		
PA 10.0 9.0 7.2 9.5 COND 950 850 896 700 SS. 101 STEMP 25 19.5 20.1 20.5 COND 935 9.0 922 920 SS. NIL TEMP 18.0 15.5 16.6 16.2 COND 3.400 000 120.000 2740 000 1355000			5,5	.05			-		
9A 10.0 9.0 9.2 9.5 COLD 950 850 896 900 SS 101 20.5 CH 7.0 8.9 7.1 7.4 COLD 950 922 920 SS NIL TEMP 18.0 15.5 16.4 16.2 BH 7.0 7.5 8.0 8.3 COLD 3400 000 120.000 2740 000 1355 000		2	TEMP	220	20,0	23,7	12/10		
COMB 950 850 896 900			PH	10.0	9.0		9.5		
3 TEMS 2/5 195 201 295 CH 7.0 8.9 7.1 9.4 COND 730 910 922 920 SS NIL TEMS 18.0 15.5 16.6 16.2 BH 7.0 7.5 8.0 8.3			COLA	950	850	29%	900		
3 TEMP 2/5 19.5 201 29.5 CH 20 8.9 7.1 7.4 CONN 730 910 922 920 SS NIL TEMP 18.0 15.5 16.6 16.2 BH 7.0 7.5 8.0 8.3 CONO 3 400 000 1200 000 2740 000 1355000			S \$,0/					
CH 7.9 8.9 7.1 9.4 COMB 730 910 922 920 SS NIL TEMP 18.8 15.5 16.6 16.2 SH 7.0 7.5 8.0 8.3 COMO 3400 000 1200 000 2740 000 1355 000		3	TEMT	3/5	19.5	20.7	225		
SS NIL			CH	20		3.7	2.4		
SS 1016 16.2 16.2 16.2 16.2 16.2 16.2 16.2 16			CONB	250	910	922	920		
# TEMS 18.0 15.5 16.6 16.8			SS	NIL					
8H 7.0 7.5 8.0 8.3 CONO 3 400 000 1200 000 2740 000 1355 000		H	TEMP		15.5	16-6	16.8		Marie de Marie de La Company d
	* . *		5H	7.0					and the state of t
			COMO	3 400 000	180000	2 740 000	1355000		Annania manana anna anna anna anna anna a
			<i>š</i> 5	PIL					
							The state of the s		de contravada com a de marco de marco de la que con esta del de que con al despera de altigna de la deligión d
						-			
							A Commence of the Commence of		num men menulum anakan kenalah sebagai

Notes:

Date		hv	
	Obtained to the second of the		
		Supervising (Themist